

UNIQUE SURFACES FOR INTEGRATED PROJECTS.





COUNTERTOP SOLUTIONS FOR ARCHITECTURE

Design an impeccable interior with countertops crafted to adorn your counters with a countertop that reflects strength and beauty alike.



ASIA'S LARGEST SLAB MANUFACTURING UNIT


Established in 2007 as Comet Granito Pvt. Ltd., Granicer is a pioneering leader in the global tile manufacturing and exporting industry. Our innovative products cater to a wide customer base and needs with over 2000+ exclusive designs in 12+ spectacular finishes and 15+ sizes for an array of spaces and interiors. Our collection includes pioneering Vitrified tiles, GVT, PGVT, Wall tiles, and Slabs of substantial and various sizes.

52,000
Sq.M. per Day
Production Capacity3
Star Export
HouseGranicer -
The Premium
Tiles Manufacturer400+
Dealers'
Network40+
Export
Countries17+
Years of
Experience


Granicer has made tremendous strides, establishing itself as a formidable leader in the industry with a robust production capacity catering to domestic as well as global demand.

TECHNOLOGICALLY WORLD'S MOST ADVANCED MACHINERIES

Granicer is the house of Asia's largest slab manufacturing unit and Asia's best new tile plant, producing unmatched and unrivalled porcelain slabs in a remarkable range of colossal formats and exquisite finishes.



TURNING NATURAL RESOURCES INTO CERAMIC INNOVATIONS.



The raw materials utilized in our production process are carefully turned to the finest slurry. These materials undergo thorough testing and treatment to ensure that only the highest quality components are selected for production.



THE SUSTAINABLE PORCELAIN **SLABS**

Bringing sustainable solutions to the forefront with Co₂-neutral slim and durable slabs from Granicer that consume less raw material, water, and energy in production and generate less pollution from transportation.

THINK SUSTAINABLE THINK GRANICER

SUSTAINABILITY IS A RESPONSIBILITY WE ARE COMMITTED TO.

Granicer is committed to delivering eco-conscious and sustainable solutions to give us safe places to reside and a green future to hold on to with slabs backed by our sustainability mission.

Granicer Eco-friendly Plant Parameters





Compensation of Co₂ Emissions (13.14 Kg/sqm)

Promise of uncompromised performance in terms of functionality, durability, strength, and more.



-25%

Less energy consumption



-35%

Less pollution generated from transportation

WE LOOK **BEYOND THE** SURFACE.


These slabs are sure to add a flair of charm. Crafted in two sizes 80x240cm for your personalized inspiration and 80x300cm for a commanding presence, and with vibrant choices in the finish as well as thickness, you can design your space with a unique approach.

AVAILABLE **FINISHES**

Elegance | Repose | Carve Tech | Luminus | Grace | Gravel Sahara | Shape Tech | Crystal | Gamma | Galaxy | Soft Satin Illusion | Retrois | Metallic | Burnish


AVAILABLE THICKNESS





EDGE PROFILE

These versatile slabs offer a wide range of customization options, including 9+ edge profiles. From double straight rounded edges for kitchen counter tops to square edges at a 45-degree angle, you can tailor them to fit perfectly in your space.









Rounded edge at 45°



Squared edge at 45°



JOINT POSSIBILITIES

These slabs come in a variety of options with three different joint profiles, allowing you to easily experiment with different decor ideas. The versatility of these slabs opens up endless possibilities for your design projects.





Birds beak

45° corner





THE ADVANTAGES **OF SURFACES**


Experience a surface that embodies practicality. These slabs are a design marvel as they provide protection against scratches and are easy to maintain. The Slabs are chemical and stain-resistant, as well as fire, heat, and frost-resistant, making them suitable for all environments.

These slabs are expertly engineered to withstand bending in any temperature variation and are highly resistant to impact. With their water-resistant feature, these slabs offer exceptional grip even in wet environments. Furthermore, these surfaces are highly efficient at preventing bacterial growth in all types of weather conditions.











Lowest





resistant

Fire



Water

resistant

Bending resistan

Impact

resistant






Frost

resistant







BIG ON **SIZE**, BIG ON **POTENTIAL**.

These slabs are bursting with vibrancy and offer endless possibilities for use. Whether you envision a majestic tabletop or stylish countertops for your kitchen, dining table, or wash basin, these slabs exude unique allure and robustness.

These slabs offer excellent structural support and versatility for modern architectural designs. Consider integrating them into your space to reinforce door and window frames, as well as to add a touch of creativity to shelves, bathrooms, and staircases.







Table top

Door & Window frame



Wash basin

Kitchen Counter top



Shelves



Bathtub



Staircase




Dining table

WE HAVE EVERYTHING YOU NEED !

Design an extraordinary interior that seamlessly integrates various functional spaces with these sleek and versatile slabs. 1 Kitchen Island

- 2 On Floor
- ③ On Wall
- ④ Sink



- 5 Window & Door Frame
- 6 Furniture




DESIGN. **SNP BEIGE**

Size

Finish Polish

Body Type - Full Body



80x240cm

Thickness 15mm







Size

Finish Polish




DESIGN. **SNP VERDE**

80x240cm

Thickness **15mm**



SNP ASH GREY





Size

Finish Polish




DESIGN. **SNP GREY**

80x240cm

Thickness 15mm





Size

DESIGN. **SNP WHITE**

80x240cm

Thickness 15mm

Finish Polish



SNP BLACK








DESIGN.

Sizes

80x300cm 80x240cm

Thickness **15mm**

Finishes **Polish I Rematt**





DESIGN. SEPOS TRIGO

Sizes

80x300cm 80x240cm

Thickness **15mm**

Finishes **Polish I Rematt**





DESIGN. **SEPOS WHITE**

Sizes


80x300cm 80x240cm

Thickness 15mm

Finishes **Polish I Rematt**







DESIGN. SEPOS GRIS

Sizes

80x300cm 80x240cm

Thickness **15mm**

Finishes **Polish I Rematt**








DESIGN. SEPOS NERO

Sizes


80x300cm 80x240cm

Thickness **15mm**

Finishes **Polish I Rematt**








DESIGN. MONO BROWN

Sizes


80x300cm 80x240cm

Thickness **15mm**

Finishes **Polish I Rematt**



Sizes




DESIGN. **MONO GREY**

80x300cm 80x240cm

Thickness 15mm

Finishes **Polish I Rematt**






DESIGN. **MONO WHITE**

Sizes


80x300cm 80x240cm

Thickness 15mm

Finishes **Polish I Rematt**



MONO ASH GREY






DESIGN. **MONO BLACK**

80x300cm 80x240cm

Thickness 15mm

Finishes **Polish I Rematt**





DESIGN. **MONO KOTA**

Sizes


80x300cm 80x240cm

Thickness **15mm**

Finishes **Polish I Rematt**







DESIGN. MONO VERDE

Sizes


80x300cm 80x240cm

Thickness **15mm**

Finishes **Polish I Rematt**



Finish Polish



DESIGN. **QUARTZITE WHITE**

Sizes



80x300cm 80x240cm

Thickness 15mm



QUARTZITE BEIGE

80x300cm 80x240cm







Sizes



DESIGN. **QUARTZITE CHOCO**




80x300cm 80x240cm

Thickness 15mm

Finish Polish







DESIGN.

Sizes


80x300cm 80x240cm

Thickness **15mm**

Finish **Elegance**

Body Type - Color Body















DESIGN.




80x300cm


Thickness **15mm**

Finish **Elegance**


Body Type - Color Body












DESIGN. **SPARKLE WHITE**

80x300cm 80x240cm

Thickness 15mm

Finish Metallic



SPARKLE NERO








Size

80x240cm

Thickness **15mm**

Finish **Sahara**









Thickness 15mm


Finish Sahara

Body Type - Color Body

DESIGN. **FLINT NERO**



80x240cm











Size

80x240cm

Thickness **15mm**

Finish **Sahara**










Finish Sahara

DESIGN. **BLACK BONANZA**

80x240cm

Thickness 15mm










Size


80x240cm

Thickness **15mm**

Finish **Sahara**










SOLID WHITE

80x240cm







Size

80x240cm

Thickness **15mm**

Finish **Sahara**








DESIGN. BIANCA FIORE

Size

80x240cm

Thickness **15mm**

Finish **Grace**








DESIGN. CALACATTA LUNA

Size

80x240cm

Thickness **15mm**

Finish **Grace**







Thickness 15mm

Finish Grace




DESIGN. **ICE BURG BLANCO**

80x240cm









Finish Grace

Body Type - Color Body



DESIGN. MACCHIA VECCHIA

80x240cm

Thickness 15mm



Finish Grace



DESIGN. WHITE MACAUBAS

80x240cm

Thickness 15mm



Technical Detail

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	STANDARD AS PER IS 15622:2017 Gr.Bla	METHOD OF TESTING	MEAN VALUE OF GRANICER			
Regulatory Properties							
Deviation in Length and Width Deviation in Thickness Straightness in Side Rectangularity Surface Flatness Central Curvature Surface Flatness Edge Curvature Surface Flatness Warpage Surface Quality Small Color Difference (For Plain Colour) Glazed Small Color Difference	±0.30 % (±1.00 mm) ±5.0 % (± 0.50 mm) ±0.30 % (± 0.80 mm) ±0.30 % (±1.50 mm) ±0.40 % (±1.80 mm) ±0.40 % (± 1.80 mm) ±0.40 % (± 1.80 mm) >95% defects free ΔE <0.75 ΔE <1.00	+0.10 % +5.0 % +0.10 % +0.10 % +0.50 % +0.50 % +0.50 % >95% defects free N.A.	ISO 10545-2/ IS 13630-1 ISO 10545-16	±0.10 % ±5.0 % ±0.10 % ±0.10 % ±0.20 % ±0.20 % ±0.10 % >95% defects free No change ΔE <0.80			
(For Plain Colour) Unglazed Glossiness (Polished)	As per Manufacturer	N.A.	Gloss Meter 60°	≥ 90			
Structural Properties							
Water Absorption Bulk Density	≤0.50 % As per Manufacturer	≤0.080 % Min 2.20 gm/cc	ISO 10545-3/ IS 13630-2 ISO 10545-3/ IS 13630-2	≤0.080 % > 2.28 gm/cc			
Massive Mechanical Properties							
Modulus of Rupture Modulus of Rupture (15mm)	Min. 35.0 N/mm² Min. 35.0 N/mm²	Min. 35.0 N/mm² Min. 35.0 N/mm²	ISO 10545-4/ IS 13630-6 ISO 10545-4/ IS 13630-6	Min. 37.0 N/mm² Min. 40.0 N/mm²			
Breaking Strength Thickness ≥7.5 mm	Min 1300.0 N	Min 1300.0 N	ISO 10545-4/ IS 13630-6	Min 1500.0 N			
Breaking Strength Thickness ≥7.5 mm (15mm)	Min 1300.0 N	Min 1300.0 N	ISO 10545-4/ IS 13630-6	Min 6000 N			
Breaking Strength Thickness <7.5 mm	Min 700.0 N	Min 700.0 N	ISO 10545-4/ IS 13630-6	Min 1000.0 N			
Surface Mechanical Properties							
MOH'S Hardness #	As per Manufacturer	Min. 5	BS EN 15771/ IS 13630-13	Polished - 4 Min Posh, CRV, Matt - 6 Min StrongX - 8 Min			
Surface Abrasion Resistance #	As per Manufacturer	Min. Class II	ISO 10545-7/ IS 13630-11	Polished- Class II Min Posh, CRV, Matt - Class III Min			
Deep Abrasion (Unglazed full body tile)	175 mm3	140 mm3	ISO 10545-6/ IS 13630-12	StrongX - Class IV Min 132 mm3			
Thermal Hyarometric Properties							
Meinua Hygiometric Hoperdes Moisture Expansion Thermal Expansion (COE) at 100°C Thermal Shock Resistance Impact Resistance (COR) # Frost Resistance Crazing Resistance at 7.5 bar	Max 0.06% (0.6 mm/m) As per Manufacturer Min 10 Cycle Min. 0.55 As per Manufacturer 4 Cycle	Max 0.02 mm/m Max. 6.0x10-6 Min 10 Cycle Min 0.55 As per Manufacturer 4 Cycle	ISO 10545-10/ IS 13630-3 ISO 10545-8/ IS 13630-4 ISO 10545-9/ IS 13630-5 ISO 10545-5/ IS 13630-14 ISO 10545-12/ IS 13630-10 ISO 10545-11/ IS 13630-9	Max 0.02 mm/m Max. 6.0x10-6 Min 10 Cycle Min 0.55 Frost Proof 6 Cycle			
Chemical Properties							
Resistance to Staining Glazed Resistance to Staining Unglazed Resistance to Household Chemicals & Swimming Pool Salts Glazed Resistance to Household Chemicals & Swimming Pool Salts Unglazed	Min. Class 3 As per Manufacturer Min Class GB Min Class UB	Min Class 1 Min Class 2 Min Class AA As per Manufacturer	ISO 10545-14/ IS 13630-8 ISO 10545-14/ IS 13630-8 ISO 10545-13/ IS 13630-8 ISO 10545-13/ IS 13630-7	Min Class 4/Min Class 1 Min Class 4 Min Class GB/ Min Class AA Min Class UB			
Resistance to Acid and	As per Manufacturer	As per Manufacturer	ISO-10545-13/ IS 13630-8	Min Class GLB*** & GHB***/Min Class A***			
Alkalis Glazed Resistance to Acid and Alkalis Unglazed	As per Manufacturer	As per Manufacturer	ISO-10545-13/ IS 13630-8	GHB***/Min Class A*** Min Class ULB*** & UHB***/Min Class A***			
Cafet Dana II							
Safety Properties	As per Manufacturer	As per Manufacturer	ASTM E-303	Polished: < 0.2			
(DCOF-WET PENDULUM) ## Slip Resistance - (Ramp test Value)	As per Manufacturer	As per Manufacturer	DIN 51130	Matt: > 0.3 StrongX: > 0.4 Matt & Posh: R9 - R10			
Lead and Cadmium release	As per Manufacturer	N.A.	ISO-10545-15	StrongX: R10 R11 Surface: R11 Does not yield Pb & Cd			

PRODUCT	SIZE	ACTULE SIZE	THIC
STONETECH	80x300cm 80x240cm	800x3000mm 800x2400mm	15 m 15 m



ICKNESS

TILES / BOX

COVERAGE AREA / BOX

nm nm 1pc 1pc 25.83 Sq ft 2.40 Sq m 20.67 Sq ft 1.92 Sq m

www.granicer.in / 👩 | 🖾 | 🔊 | 🖻



Corporate Office **COMET GRANITO PVT. LTD.** 8-A, N/H, Nava Jambudiya, Morbi - 363 642, Gujarat, INDIA

Marketing Office **GRANICER CERAMICA INDIANA** 29 D/E, Laxmi Industrial Estate, New Link Road, Andheri (W), Mumbai - 400 053, Maharashtra, INDIA

Delhi Office **GRANICER CERAMICA INDIANA** Ground Floor And First Floor, E-4, Noida Road, Sector 8, Noida, Gautam Buddha Nagar, Uttar Pradesh - 201 301, INDIA

info@granicer.in | +91 8000 815 815

