



Discover the art of refined simplicity and minimalistic slabs that offer unmatched elegance and practicality, enhancing the atmosphere of any room.

The designs are crafted to exude aesthetic beauty. Their subtle charm brings a sense of charm and order to any space, elevating your experience with a sophisticated sensibility. The versatility of these slabs ensures a seamless blend with any interior.



### Asia's Largest Slab Manufacturing Unit

Granicer has made tremendous strides, establishing itself as a formidable leader in the industry with a robust production capacity catering to domestic as well as global demand.

**52,000**Sq.M. per Day Production Capacity

3 Star Export 400+

Granicer -The Premium Tiles Manufacturer 40+ Export Countries 17+
Years of Experience

Established in 2007 as Comet Granito Pvt.

Ltd., Granicer is a pioneering leader in the global tile manufacturing and exporting industry. Our innovative products cater to a wide customer base and needs with over 2000+ exclusive designs in 12+ spectacular finishes and 15+ sizes for an array of spaces and interiors. Our collection includes pioneering Vitrified tiles, GVT, PGVT, Wall tiles, and Slabs of substantial and various


Technologically

#### World's

Most Advanced

#### **Machineries**


Granicer is the house of Asia's largest slab manufacturing unit and Asia's best new tile plant, producing unmatched and unrivalled porcelain slabs in a remarkable range of colossal formats and exquisite finishes.



SACMI KILN



CREADIGIT INFINITY
32 BAR PRINTING



SACMI CONTINUA+



9 BALL MILLS


# Innovating the future of design with practicality.





At Granicer, we believe in providing the best.

For this, we ensure the use of high-quality raw materials for the finest slurry. Our rigorous testing and treatment transform these materials into stunning slabs that deliver exceptional value and longevity to customers.





# Think **Sustainable**Think **Granicer**

SUSTAINABILITY IS A RESPONSIBILITY WE ARE COMMITTED TO.

#### **Granicer Eco-friendly Plant Parameters**



╬ 100%

Compensation of Co<sub>2</sub> Emissions (13.14 Kg/sqm)

Promise of uncompromised performance in terms of functionality, durability, strength, and more.

Granicer is committed to delivering ecoconscious and sustainable solutions to give us safe places to reside and a green future to hold on to with slabs backed by our sustainability mission.

# Going beyond the ordinary

Our range of high-quality finishes enhances your space's aesthetic appeal and provides a sleek and polished look. The 1200\*2800mm size and 6mm thickness of these slabs ensure long-lasting functionality and resilience. Invest in this perfect balance and give your space the beauty and integrity it needs.


#### **AVAILABLE THICKNESS**



#### Available

#### **Finishes**

Elegance | Repose | Carve Tech | Luminus | Grace | Gravel Sahara | Shape Tech | Crystal | Gamma | Galaxy | Soft Satin Illusion | Retrois | Metallic | Burnish



### **Upsides** of our **slabs**

Practicality lies at the core of these slab designs. Their expansive size and exceptional durability make them ideal for large-scale surfaces. They are built to withstand heavy wear and tear.

They are engineered to resist water and heat, ensuring durability in residential and commercial settings. The impressive strength of these slabs is the result of modern elegance.







Chemical and stain resistant



Antibacterial



resistant



resistant



Heat

resistant



Impact resistant



Bending resistant



Frost resistant



Scratch resistant







Residential Areas



Bedroom









Flooring




Children's Room




TV Room



#### MANHATTAN WHITE




Finish **Elegance** 



DESIGN.

#### PATAGONOA BIANCO









## ARBESCATO OSCURO










#### CREMA DESIERTO

Size 120x280cm










#### NORD LIGHT GREY







#### DIDYMA SILVER









#### BRECHA CREMA

Size \_\_\_\_\_\_\_ 120x280cm







#### ADONIS SKY

Size 120x280cm








#### METALYN BEIGE

Size 120x280cm







#### COSTA ONYX AZUL

Size
120x280cm







#### MARKINA DORADO







#### ARANCIO ONXY BLACK

Size \_\_\_\_\_\_\_ 120x280cm







#### DIONYX NATURAL







#### CLOUDY ONYX ROSSO

Size \_\_\_\_\_\_ 120x280cm








#### CLOUDY ONYX VERDE

Size 120x280cm







#### BENEVENTO BRONZE








#### EPPOAKOTA ALPINO

Size
120x280cm


Finish **luminous** 







## SMOGY AZUL



Finish luminous







### IRSINA LIME

Size


120x280cm







#### AMAZZONITE JADE









### NUBE ONYX AQUA

Size
120x280cm








### ALPI NERO

Size 120x280cm







#### KRATER NIEVE


Size




120x280cm

Finish Repose







#### KRATER PERLA

Size

120x280cm

Finish Repose







#### KRATER HUMO

Size 120x280cm

Finish Repose








### KRATER NERO

Size \_\_\_\_\_\_ 120x280cm


Finish Repose








### YASHI WHITE



Finish **Grace** 








### PATAGONOA BIANCO


Finish **Grace** 







# ARBESCATO OSCURO




Finish **Grace** 








## GLAM OXIDE



Finish Grace







# SATVARIO ELITE

Size 120x280cm

Finish
Carvetech







# VENERE WHITE

Size 120x280cm

Finish Carvetech







### MARCO ICE

Size 120x280cm

Finish
Carvetech





# EMPIRE WHITE




Finish **Sahara** 



DESIGN.

# ARBESCATO OSCURO



Finish **Sahara** 








#### **ABANICO AVORIO**

Size

120x280cm








#### ABANICO ROSSO

Size 120x280cm








#### ABANICO FUNGI


Size 120x280cm







#### MARIER TOFFEE










### GRIGIO CARNIGO









## SICILY ASH

Size


12

120x280cm

Finish **Gravel** 







### SICILY GREY

Size 120x280cm


Finish **Gravel** 







## SICILY SCURO



Finish **Gravel** 








# SOAPSTONE ASH

Finish **Illusion** 







## SOAPSTONE GRIS

Size 120x280cm


Finish **Illusion** 







#### SOAPSTONE NERO



Finish **Illusion** 







#### ARDESIA BEIGE

Finish **Retrois** 







#### ARDESIA SCURO

Finish **Retrois** 








### ARDESIA CHIARO

Finish **Retrois** 







#### ARDESIA NERO

Finish **Retrois** 







### METALLO BRASS

Finish **Burnish** 








### METALLO GRUNGE

Size \_\_\_\_\_\_ 120x280cm

Finish **Burnish** 







### URBAN STONE GRIGIO

Size 120x280cm







### CONTEXT NATURAL








### BELSO NATURAL







#### OAKWOOD NATURAL

Size \_\_\_\_\_\_ 120x280cm

#### Technical Detail

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	STANDARD AS PER IS 15622:2017 Gr.Bla	METHOD OF TESTING	MEAN VALUE OF GRANICER
Regulatory Properties				
Deviation in Length and Width Deviation in Thickness Straightness in Side Rectangularity Surface Flatness Central Curvature Surface Flatness Edge Curvature Surface Flatness Warpage Surface Quality Small Color Difference (For Plain Colour) Glazed Small Color Difference (For Plain Colour) Unglazed Glossiness (Polished)	±0.30 % (±1.00 mm) ±5.0 % (± 0.50 mm) ±0.30 % (± 0.80 mm) ±0.30 % (±1.50 mm) ±0.40 % (±1.80 mm) ±0.40 % (±1.80 mm) ±0.40 % (±1.80 mm) >95% defects free ΔE <0.75 ΔE <1.00 As per Manufacturer	±0.10 % ±5.0 % ±0.10 % ±0.10% ±0.50 % ±0.50 % ±0.50 % >95% defects free N.A. N.A.	ISO 10545-2/ IS 13630-1 ISO 10545-16 ISO 10545-16 Gloss Meter 60°	±0.10 % ±5.0 % ±0.10 % ±0.10 % ±0.20 % ±0.20 % ±0.10 % >95% defects free No change ΔE <0.80 ≥ 90
Ciossii iess (Folisi ieu)	As per munuracturer	IN.A.	Oloss Meter 00	- 70
Structural Properties  Water Absorption Bulk Density	≤0.50 % As per Manufacturer	≤0.080 % Min 2.20 gm/cc	ISO 10545-3/ IS 13630-2 ISO 10545-3/ IS 13630-2	≤0.080 % > 2.28 gm/cc
Massive Mechanical Properties				
Modulus of Rupture Modulus of Rupture (15mm) Breaking Strength Thickness 27,5 mm	Min. 35.0 N/mm² Min. 35.0 N/mm² Min 1300.0 N	Min. 35.0 N/mm² Min. 35.0 N/mm² Min 1300.0 N	ISO 10545-4/ IS 13630-6 ISO 10545-4/ IS 13630-6 ISO 10545-4/ IS 13630-6	Min. 37.0 N/mm² Min. 40.0 N/mm² Min 1500.0 N
Breaking Strength Thickness ≥7.5 mm (15mm) Breaking Strength Thickness <7.5 mm	Min 1300.0 N Min 700.0 N	Min 1300.0 N Min 700.0 N	ISO 10545-4/ IS 13630-6	Min 6000 N Min 1000.0 N
Surface Mechanical Properties				
MOH'S Hardness #	As per Manufacturer	Min. 5	BS EN 15771/ IS 13630-13	Polished - 4 Min Posh, CRV, Matt - 6 Min StrongX - 8 Min
Surface Abrasion Resistance #	As per Manufacturer	Min. Class II	ISO 10545-7/ IS 13630-11	Polished- Class II Min Posh, CRV, Matt - Class III Min
Deep Abrasion (Unglazed full body tile)	175 mm3	140 mm3	ISO 10545-6/ IS 13630-12	StrongX - Class IV Min 132 mm3
Thermal Hygrometric Properties				
Moisture Expansion Thermal Expansion (COE) at 100°C Thermal Shock Resistance Impact Resistance (COR) # Frost Resistance Crazing Resistance at 7.5 bar	Max 0.06% (0.6 mm/m) As per Manufacturer Min 10 Cycle Min. 0.55 As per Manufacturer 4 Cycle	Max 0.02 mm/m Max. 6.0x10-6 Min 10 Cycle Min 0.55 As per Manufacturer 4 Cycle	ISO 10545-10/ IS 13630-3 ISO 10545-8/ IS 13630-4 ISO 10545-9/ IS 13630-5 ISO 10545-5/ IS 13630-14 ISO 10545-12/ IS 13630-10 ISO 10545-11/ IS 13630-9	Max 0.02 mm/m Max. 6.0x10-6 Min 10 Cycle Min 0.55 Frost Proof 6 Cycle
Chemical Properties				
Resistance to Staining Glazed Resistance to Staining Unglazed Resistance to Household Chemicals & Swimming Pool Salts Glazed Resistance to Household Chemicals & Swimming Pool Salts Unglazed Resistance to Acid and Alkalis Glazed Resistance to Acid and	Min. Class 3 As per Manufacturer Min Class GB Min Class UB As per Manufacturer As per Manufacturer	Min Class 1 Min Class 2 Min Class AA As per Manufacturer As per Manufacturer As per Manufacturer	ISO 10545-14/ IS 13630-8 ISO 10545-14/ IS 13630-8 ISO 10545-13/ IS 13630-8 ISO 10545-13/ IS 13630-7 ISO-10545-13/ IS 13630-8	Min Class 4/Min Class 1 Min Class 4 Min Class GB/ Min Class AA Min Class UB  Min Class GLB*** & GHB***/Min Class A***  Min Class UB  Min Class W
Alkalis Unglazed				UHB***/Min Class A***
Safety Properties				
Skid Resistance - (DCOF-WET PENDULUM) ##	As per Manufacturer	As per Manufacturer	ASTM E-303	Polished: < 0.2 Matt: > 0.3 StrongX: > 0.4
Slip Resistance - (Ramp test Value)	As per Manufacturer	As per Manufacturer	DIN 51130	Matt & Posh: R9 - R10 StrongX: R10 R11 Surface: R11
Lead and Cadmium release	As per Manufacturer	N.A.	ISO-10545-15	Does not yield Pb & Cd





Corporate Office

#### COMET GRANITO PVT. LTD.

8-A, N/H, Nava Jambudiya, Morbi - 363 642, Gujarat, INDIA

#### Marketing Office

#### **GRANICER CERAMICA INDIANA**

29 D/E, Laxmi Industrial Estate, New Link Road, Andheri (W), Mumbai - 400 053, Maharashtra, INDIA

#### Delhi Office

#### **GRANICER CERAMICA INDIANA**

Ground Floor And First Floor, E-4, Noida Road, Sector 8, Noida, Gautam Buddha Nagar, Uttar Pradesh - 201 301, INDIA











